PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCI)

(51) International Patent Classification 6:		11) International Publication Number: WO 95/05140		
A61F 13/62	A1	(43) International Publication Date: 23 February 1995 (23.02.95)		
(21) International Application Number: PCT/US: (22) International Filing Date: 10 August 1994 (1) (30) Priority Data: 08/105,701 17 August 1993 (17.08.93) 08/148,130 5 November 1993 (05.11.93) 08/263,281 21 June 1994 (21.06.94) (71) Applicant: KIMBERLY-CLARK CORPORATION 401 North Lake Street, Neenah, WI 54956 (US).	10.08.90 U U SUVSUJ	Appleton, WI 54914 (US). LEAK, A., Todd; 1118 Park Village Drive, Neemah, WI 54956 (US). MILEZIVA Mark, Michael; Apartment #206, 610 North Owaissa Street Appleton, WI 54911 (US). SNYDER, Michael, A.; N4267 County E. Wanpaca. WI 54981 (US). McNiCHOLS Patrick, Seam; N2426 Greenlate Road, Hortonville, W. 54944 (US). WILLIAMS, Scott, Leslie; 1114 Park Village Drive, Neenah, WI 54956 (US). LEVEILLE Robert John; 1317 W. Frances Street, Appleton, WI 54914 (US) PENNINGS, Scott, Lee; 216 Fifth Street, Neemah, WI 54956		
		tion, 401 North Lake Street, Neemah, WI 54956 (US). (81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, ES, FI, GB, GE, HU, JP, KE, KG, KP, KR, KZ, LK, LT, LU, LY, MD, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BI, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD).		
		With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.		
(54) THE: MECHANICAL FASTENING TAPES AND I	METH	OD FOR THEIR CONSTRUCTION		
12 16	<u> </u>	26 18 27 27 27 22		
20	24	14		

(57) Abstract

Disclosed is an improved fastening tape for use on a disposable absorbent garment. The fastening tape comprises a first substrate (16) and an interlocking material (18) attached to said first substrate. The interlocking material (18) extends the entire width of the fastening tape, and the interlocking material is longitudinally spaced from both transverse edges of the fastening tape. Also disclosed is a process for manufacturing the fastening tape. The process involves providing a continuous length of an interlocking material (18) having a width and traveling in a first direction. The interlocking material is attached to a first substrate (16) to form a composite. The composite is then cut along a second direction to form fastening tapes suitable for attachment on a disposable absorbent garment. The second direction is substantially perpendicular to the first direction.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCI on the front pages of pamphlets publishing international applications under the PCI.

AT	Austia	GB	United Klapdom	MOR	Maritania
ΑŪ	Australia	CE	Georgia	MW	Malowi
DB	Barbados	CN.	Guines	NE	Negor
BE	Belginn	GR	Orome	NL	Netherlands
DF	Burkina Paso	BU	Hungmy	NO	Norway
BG	Bulgaria	1E	Breland	NZ	New Zealand
E)	Benin	n	Ruly	PL	Poland
BR	Brazil	AC.	Japan	PT	
BY	Belanus	ACTE:	Kenya	RO	Portugal .
CA	Canada	KG	Купрука	RU	Russian Pederation
CF	Central African Republic	KP	Democratic People's Republic	SD	Suppo Suppo
CG	Congo	. –	of Korea	506	
CE	Swittmarland	KR	Republic of Kores	SE .	Sweden
CI	Cour d'Troire	FZ	Kezkhmo		Slovenie
CM	Cameroon	ũ	Liechensein	SEC	Slovakia
CN	China	LK	Sri Lenka	SN	Senegal
CS	Czechoslowakia	w		70	<u>Out</u>
cz.	Czech Republie	r _A	Turespons	7G	Togs
DE	Germany		Larvin	73	Tabilistan
DK	Demork	MC	Мошко	. 31	Trinidad and Tobego
E3	Spain ·	MD	Republic of Moldava	UA	Ukraine
FI	Finland	MC	Madegarcus	D3	United States of America
FR	Propos	ML	MAN	. UZ	Uz bekl sten
FA.	Links:	MN	Mongolia	M	Vict Nam

WO 95/05140

PCT/US94/09049

MECHANICAL FASTENING TAPES AND METHOD FOR THEIR CONSTRUCTION

Background of the Invention

The use of mechanical fastening means on disposable absorbent products, such as diapers, training pants, adult incontinent products, feminine care products, and the like, are well known. A common type of mechanical fastener employed on disposable absorbent products is a hook-and-loop type fastener in which a hook or hook-like element is provided which is adapted for releasably engaging with a loop or loop-like material. Such hook-and-loop type fasteners are also well known in the prior art.

While the use of mechanical hook-and-loop type fasteners on disposable absorbent products is known, such use has not become widespread. This is due, in part, to the increased cost of such 15 hook-and-loop type fasteners relative to the more common adhesive tapes currently used on disposable absorbent products. An additional reason that hook-and-loop type fasteners have not been widely used on disposable absorbent products relates to the difficulty of forming 20 such hook-and-loop type fasteners at the high speeds generally associated with the manufacture of disposable absorbent products. The process issues associated with the formation of such hook-and-loop type fasteners also affects the relative cost of such fasteners. The process difficulties associated with the hook-and-loop type fasteners relates not only to the formation of the 25 specific hook-and-loop materials, but also to the attachment of the hook-and-loop materials to other elements to form a fastening tape suitable for use on disposable absorbent products. The hook-andloop materials must be attached securely enough to the other elements of the fastening tape so as not to present a product safety issue. 30 In order to render the use of hook-and-loop type fasteners on

. 1 .

WO 95/05140

PCT/US94/09049

disposable absorbent products more feasible, it is desirable to provide improved fastening tapes comprising hook-and-loop materials and processes for the manufacture of such fastening tapes.

Summary of the Invention

In one aspect, the present invention concerns a fastening tape for use on a disposable absorbent garment. The fastening tape has a width and a length, a first transverse edge and a second transverse edge. The fastening tape comprises a first substrate having a width and an interlocking material attached to said first substrate and extending the entire width of said fastening tape. The interlocking material is longitudinally spaced from both said first and second transverse edges of said fastening tape.

In another aspect, the present invention concerns a fastening tape for use on a disposable absorbent garment. The fastening tape has a width and a length, a first transverse edge and a second transverse edge. The fastening tape comprises a first substrate having a width and an interlocking material attached to said first substrate. The interlocking material has a width and a length and two longitudinal edges. The interlocking material is attached to said first substrate such that at least one of said longitudinal edges of said interlocking material is not directly attached to said first substrate.

25

30

10

In another aspect, the present invention concerns a fastening tape for use on a disposable absorbent garment. The fastening tape has a width and a length, a first transverse edge and a second transverse edge. The fastening tape comprises a first substrate having a width and an interlocking material attached to said first substrate. The interlocking material has a width and a length and two longitudinal edges. The interlocking material is attached to said first substrate with both adhesive and thermal bonds.

In another aspect, the present invention concerns a continuous process for manufacturing a fastening tape for use on a disposable absorbent garment. The process comprises the following steps:

- 2 -Substitute sheet (rule 26)

PCT/US94/09049

(1) providing a continuous length of an interlocking material having a width and traveling in a first direction; (2) attaching said interlocking material to a first substrate traveling in said first direction to form a composite; and (3) cutting said composite along a second direction to form fastening tapes suited for attachment to an absorbent garment, said second direction being substantially perpendicular to said first direction.

In a particularly preferred aspect, the present invention comprises a continuous process for manufacturing a fastening tape for use on a disposable absorbent garment. The process comprises the following steps: (1) providing a continuous length of an interlocking material having a width and traveling in a first direction; (2) attaching said interlocking material to a first substrate having a width and traveling in said first direction to form a composite; (3) slitting said composite along said first direction to form two slit composites; (4) attaching said two slit composites to a second substrate having a width and traveling in said first direction to form a tape assembly, said two split composites being laterally separated prior to attachment to said second substrate; (5) slitting said second substrate of said tape assembly along said first direction; and (6) cutting said tape assembly along a second. direction to form fastening tapes, said second direction being substantially perpendicular to said first direction.

25

30

35

10

15

In another particularly preferred aspect, the present invention comprises a continuous process for manufacturing a fastening tape for use on a disposable absorbent garment. The process comprises the following steps: (1) providing two continuous lengths of an interlocking material having a width and traveling in a first direction, said two continuous lengths of interlocking material being laterally separated; (2) attaching said two continuous lengths of interlocking material to a first substrate having a width and traveling in said first direction to form a composite; (3) attaching said composite to a second substrate having a width and traveling in said first direction to form a tape assembly; (4) slitting said tape assembly in said first direction; and (5) cutting said tape assembly

- 3 -

30

WO 95/05140

PCT/US94/09049

along a second direction to form fastening tapes, said second direction being substantially perpendicular to said first direction.

In another particularly preferred aspect, the present invention 5 comprises a continuous process for manufacturing a fastening tape for use on a disposable absorbent garment. The process comprises the following steps: (1) providing two continuous lengths of an interlocking material having a width and traveling in a first direction, said two continuous lengths of interlocking material being laterally separated; (2) attaching said two continuous lengths of 10 interlocking material to a first substrate having a width and traveling in said first direction to form a composite, said two continuous lengths of interlocking material being attached to said first substrate with both adhesive and thermal bonds; (3) attaching 15 said composite to a second substrate having a width and traveling in said first direction to form a tape assembly; (4) slitting said tape assembly in said first direction; and (5) cutting said tape assembly along a second direction to form fastening tapes, said second direction being substantially perpendicular to said first direction.

Brief Description of the Drawings

Fig. 1 is a plan view of a fastening tape according to the present invention.

Fig. 2 illustrates an exploded perspective view of the fastening tape illustrated in Fig. 1.

Fig. 3 is a cross-sectional view of the fastening tape of Fig. 1 taken along line 3-3 of Fig. 1.

Fig. 4A illustrates a first alternative embodiment of a fastening tape according to the present invention.

Fig. 4B illustrates a second alternative embodiment of a fastening tape according to the present invention.

30

35

WO 95/05140

PCT/US94/09049

- Fig. 5 schematically illustrates a first embodiment of the process of the present invention.
- Fig. 6 schematically illustrates a second embodiment of the process of the present invention.
 - Fig. 7 schematically illustrates a third embodiment of the process of the present invention.
- 10 Fig. 8A schematically illustrates a fourth embodiment of the process of the present invention.
 - Fig. 8B schematically illustrates a preferred embodiment of the process illustrated in Fig. 8A.
 - Fig. 9A is a plan view of fastening tapes manufactured by the process illustrated in Fig. 8A.
- Fig. 9B is a plan view of fastening tapes manufactured by the process illustrated in Fig. 8B.
 - Fig. 10A is a cross-sectional view taken along line 10A-10A of Fig. 9A.
- Fig. 10B is a cross-sectional view taken along line 10B-10B of Fig. 9B.
 - Fig. 11 illustrates a disposable infant diaper comprising fastening tapes according to the present invention.
 - Fig. 12 is a cross-sectional view taken along line 12-12 of Fig. 11.
 - Fig. 13 illustrates a test sample for use in the peel and shear test described below in connection with the examples.
 - Fig. 14 illustrates a testing rack and test samples during the shear test described below in connection with the examples.

- 5 -

10

15

20

25

30

35

WO 95/05140

PCT/US94/09049

Detailed Description of the Preferred Embodiments

The present invention relates to a fastening tape suitable for use on disposable absorbent garments. The term "disposable absorbent garments" is intended to refer to any disposable garment intended to absorb discharged body fluids. Examples of disposable absorbent garments include diapers, adult incontinence products, training pants, feminine napkins, wound dressings, and the like. For ease of understanding, much of the following description will be made in terms of the use of the fastening tapes of the present invention on disposable diapers. Nonetheless, it is to be understood that the fastening tapes of the present invention are equally suited for use on any other disposable absorbent garment and that the bonding methods described herein are equally well suited for use in other applications such as in other aspects of the construction of disposable absorbent garments.

In one aspect, the present invention refers to a fastening tape for use on disposable absorbent garments. The fastening tape can best be understood by reference to the figures wherein Fig. 1 illustrates a plan view of a fastening tape according to this aspect of the present invention. The fastening tape 10 has a length L and a width W. As used herein, reference to the length of a fastening tape is intended to refer to the dimension of the fastening tape generally perpendicular to the length of the disposable absorbent garment to which it is attached. The length of a disposable absorbent garment refers to that dimension of the garment which extends from a rear waistband area of the garment, through a crotch area of the garment. to an opposite waistband area of the garment. This generally corresponds to the machine direction of the garment during manufacture and the greatest planar dimension of the product. The width of the fastening tape refers to the dimension of the fastening tape generally perpendicular to the length thereof.

The fastening tape 10 defines a first transverse edge 12 and a second transverse edge 14. The fastening tape 10 comprises a first substrate 16 having a width W'. In the illustrated embodiment, the width W' of the first substrate 16 corresponds to the overall width W

- 6 -

15

20

3

WO 95/05140

PCT/US94/09049

of the fastening tape 10. An interlocking material 18 is attached to the first substrate 16 and extends the entire width W of the fastening tape 10. The interlocking material is longitudinally spaced from both the first transverse edge 12 and the second transverse edge 14. The interlocking material has a width Wⁿ extending along the length direction of the fastening tape and a length perpendicular to the width Wⁿ.

As used herein, reference to an interlocking material is intended to refer to a material which is adapted to mechanically interlock with a second material. In the illustrated embodiment, the interlocking material is either the hook or the loop portion of a hook-and-loop fastener. Hook-and-loop fasteners are known to those skilled in the art. A hook-and-loop fastener generally comprises a hook material and a loop material. The hook material generally comprises a base sheet material from which stemlike projections extend. One end of the stemlike projection is attached to the base sheet material, while the other end of the stemlike projection defines a hook, or hook-like structure, which is adapted to interlock with a loop or loop-type material. The loop or loop-type material generally comprises a woven or nonwoven material defining individual loops of material which can interlock with the hook or hook-like material. Other interlocking materials include cohesive materials, snaps, and the like.

Exemplary of a hook material suitable for use in the present invention is that obtained from Velcro Group Company, Manchester, New Hampshire, under the trade designation CFM-22 and CFM-15. Suitable hook materials generally comprise from about 300 to about 1000 hooks per square inch (about 45 to about 155 hooks per square centimeter), preferably from about 700 to about 900 hooks per square inch (about 108 to about 140 hooks per square centimeter). The hooks suitably have a height of from about 0.015 inch (0.038 centimeter) to about 0.050 inch (0.127 centimeter), preferably of from about 0.025 inch (0.0635 centimeter) to about 0.035 inch (0.0889 centimeter).

- 7 -

PCT/US94/09049

Exemplary of a loop material suitable for use in the present invention is that obtained from Guilford Mills, Inc., Greensboro, North Carolina, under the trade designation Style 19902 or Style 30020. A suitable loop is a fabric of a raised loop construction, 5 stabilized through napping and thermosetting such that the loops are erect from the base material. The fabric may be a two bar warp knit construction having from 21 to 41 courses per inch (8.27 to 16.4 courses per centimeter) and from 26 to 46 wales per inch (10.24 to 18.1 wales per centimeter), preferably of polyester yarn, in which 10 15-35 percent of the yarn is composed of yarn having about 15 or less filaments and having a yarn denier (d) within the range of about 15-30 d. In addition, about 65-85 percent of the yarns are those having 1-30 individual filaments therein and having a yarn denier within the range of about 30-50 d. The caliper is 0.010 to 0.040 inch (0.0254 15 to 0.1 centimeter) and basis weight from 1.0 to 3.0 ounces per square yard. Suitable loop materials are shown, for example, in U.S. Patent 5,019,073 issued May 28, 1991, to Roessler et al., the disclosure of which is incorporated by reference herein.

20 While the interlocking material attached to the first substrate may be either a hook material or a loop material, it is generally preferred that the interlocking material comprise a hook material. Those skilled in the art will appreciate that the second interlocking material, with which the interlocking material 18 is intended to 25 interlock, will be positioned on the disposable absorbent garment such that the fastening tape 10 can be utilized to attach the disposable absorbent garment about the waist of a wearer. In general, the fastening tape 10 will be attached to the rear periphery of the disposable absorbent garment, and the second interlocking 30 material will be attached to the outer surface of the disposable absorbent garment, near a front edge of the garment. This aspect of the invention will be described in greater detail below. Alternatively, the fastening tape 10 may be attached to the front periphery of the disposable absorbent garment, and the second 35 interlocking material may be attached to the outer surface of the disposable absorbent garment, near a rear edge of the garment.

- 8 -

PCT/US94/09049

The fastening tape of the present invention may be formed from first substrate 16 and interlocking material 18. In the particular embodiment illustrated in Fig. 1, the fastening tape 10 further comprises a second substrate 20 to which the first substrate is attached. This aspect of the invention can best be understood by reference to Fig. 2 which is an exploded perspective view of the fastening tape 10 illustrated in Fig. 1. As can be seen from reference to Fig. 2, the first substrate 16 has a length which is less than the length of the second substrate 20, but has a width which is equal to the width of the second substrate 20. The length of the second substrate 20 which extends beyond the length of the first substrate 15 defines a tab generally designated by the numeral 22 which, in use, functions as a finger tab, allowing a user to easily remove the interlocking material 18 from an interlocked relationship with a second interlocking material. Further, tab 22 serves to prevent skin irritation which could otherwise be caused by the edges of the interlocking material 18.

It is to be understood that the first and second substrates may have a wide variety of configurations relative to one another. For example, the first substrate 16 and the second substrate 20 may have the identical configuration (Figs. 4A and 4B). Alternatively, the second substrate may have a length or a width which is less than or greater than the first substrate 16.

25

30

20

?

10

15

Any flexible material having the required physical strength to perform a fastening function as described herein is believed suitable for use as the first and/or second substrate material. Examples of materials suitable for use as the first and second substrate include thermoplastic or thermosetting films, such as polyolefin films, polyurethane films, and the like; nonwoven materials such as meltblown or spunbonded polyolefins; woven materials; nonwoven composites; nonwoven/film composites; and the like.

Any method capable of attaching the first and second substrate to one another, and/or the first interlocking material to the first substrate, is believed suitable for use in the present invention.

- 9 -Substitute sheet (rule 26)

15

20

25

30

35

WO 95/05140

PCT/US94/09049

For example, the materials may be attached together by hot or cold melt adhesives, thermal bonding (including ultrasonic bonding), sewing, combinations of these methods, and the like. In one preferred embodiment of the present invention the interlocking material is attached to the first substrate with both adhesive and thermal bonds.

Fig. 3 illustrates a cross-sectional view taken along line 3-3 of Fig. 1. Fig. 3 illustrates an embodiment wherein the first substrate 16 and second substrate 20 are adhesively bonded together by adhesive layer 24. Similarly, interlocking material is bonded to the first substrate 16 by an adhesive material 26. Those skilled in the art will recognize suitable adhesive materials for use in forming adhesive layers 24 and 26. Exemplary of adhesive materials suitable for use as adhesive layers 24 and 26 are those commercially available from Findley Adhesives, Inc., Wauwatosa, Wisconsin, under the trade designation H-2096. As can be seen from reference to Fig. 3, the first and second substrates are unattached in an area in which they overlap. That is, adhesive layer 24 does not extend all the way to transverse edge 12 of the fastening tape 10. Accordingly, a portion of the first substrate 16 and the second substrate 20 will not be adhered to one another at longitudinal end 12.

The adhesive layer 26 may be coextensive with the interlocking material 18. Alternatively, the adhesive layer 26 may cover less than the entire interlocking material 18. Specifically, the adhesive layer 26 may not extend to one or more longitudinal edges of the interlocking material 18 relative to the width (W") of the interlocking material 18. Thus, the longitudinal edges of the interlocking material are not directly attached to the first substrate. This aspect of the invention can be seen from reference to Fig. 4A wherein the adhesive layer 26 is shown as having a width which is less than the width (W") of the interlocking material 18. By having adhesive layer 26 cover less than the entire interlocking material 18, unattached edges 27 are formed between interlocking material 18 and the first substrate 16. In one preferred embodiment, the adhesive layer 26 comprises a plurality of beads of adhesive.

- 10 -

10

15

20

25

30

35

WO 95/05140

PCT/US94/09049

Beads of adhesive have been found to provide better adhesion of the interlocking material 18 to the first substrate 16.

The presence of the unattached edges 27 have been found to lessen the likelihood of interlocking material 18 being separated from the fastening tape 10. Specifically, in the embodiment illustrated in Fig. 4A, the presence of the unattached edges 27 is more likely to cause separation of the interlocking material 18 from the fastening tape 10 to occur through separation of the interlocking material 18 and the adhesive layer 26. When the unattached edges 27 are absent (Fig. 3), separation of the interlocking material 18 from the fastening tape 10 is more likely to occur through separation of the first substrate and the second substrate and tearing of the first substrate. As a general rule, the force required to separate the interlocking material 18 from the adhesive layer 26 is greater than the force required to separate the first substrate from the second substrate.

further, the presence of unattached edges 27 have been found to improve the performance of the hook and loop fastening system. Specifically, the presence of unattached edges 27, particularly on the finger tab side of the interlocking material 18, has been found to cause initial separation of the interlocking (hook) material 18 from the loop material to occur through a shear mode (force generally parallel to plane of interlocking) rather than a peel mode (force generally perpendicular to plane of interlocking). Those skilled in the art will recognize that the force required to separate a hook and loop material through a shear mode is generally greater than the force required to separate the same materials through a peel mode.

The unattached edges 27 generally have a width of from about 5 percent to about 35 percent, preferably of from about 10 percent to about 25 percent of the width (W") of the interlocking material 18. The interlocking material 18 and adhesive layer 26 may form unadhered edges around the entire periphery of the interlocking material 18 or only around a portion of its periphery.

- 11 -

35

3

WO 95/05140

PCT/US94/09049

Fig. 4B illustrates a second, preferred, alternative embodiment of the present invention. Fig. 4B is identical to Fig. 4A with the exception that Fig. 4B further comprises thermal bonds 25. Thus, in the embodiment illustrated in Fig. 4B the interlocking material 18 is attached to the first substrate 16 by both adhesive layer 26 and thermal bonds 25, that is, by both adhesive and thermal bonds. Further, the first substrate 16 is attached to the second substrate 20 by both adhesive layer 24 and thermal bonds 25.

10 Applicants have discovered that attachment of the interlocking material 18 to the first substrate 16 by both adhesive and thermal bonds has been found to produce a system of attachment that possesses both good shear adhesion (creep mode) and good peel adhesion (dynamic). Specifically, the adhesive bond is as described above. 15 As stated above the adhesive bond possesses excellent peel adhesion. However, under certain conditions, such as elevated temperature, the shear adhesion of the adhesive bond alone has been found to be less than desired in some instances. Applicants have discovered that the use of thermal bonds in addition to the adhesive bonds has been found 20 to produce a system of attachment that possesses both good shear and good peel adhesion. Applicants hypothesize, without intending to be bound thereby, that the presence of the adhesive bonds contribute significantly to the peel adhesion of the system while the presence of the thermal bonds contributes significantly to the shear adhesion 25 of the system.

As used herein, reference to "thermal" bonds is intended to refer to bonds formed as a result of the application of energy which causes localized heating. Accordingly, reference to thermal bonds includes bonds formed by the application of electromagnetic radiation as well as the application of ultrasonic energy.

In a preferred embodiment, the thermal bonds are ultrasonic bonds. Those skilled in the art will recognize methods suitable for forming ultrasonic bonds. Equipment and methods of ultrasonic bonding are, for example, illustrated in U.S. Patents 5,110,403 issued May 5, 1992, to Ehlert; and 5,096,532, issued March 3, 1992, in the name of

- 12 -

35

WO 95/05140

PCT/US94/09049

Neuwirth et al. The ultrasonic bonds are desirably sufficient to cause the interlocking material 18 and the first substrate 16 to melt and flow together to affect the bonding function.

- Any pattern of thermal bonding is believed suitable for use in the present invention. Suitable bonding patterns include, individual, separated areas of bonding such as circles, squares, triangles, diamonds, and the like; lines; bars; sine waves; dashes; and the like. Those skilled in the art will recognize that when the 10 interlocking material 18 is the hook material of a hook-and-loop fastener, that formation of such thermal bonds may destroy the functionality of the individual hooks present in the area of thermal bonding. Accordingly, it is generally desired to design the bonding pattern such that is destroys the functionality of as few hooks as 15 possible. For this reason the thermal bonding covers from about 1 to about 20, alternatively from about 1 to about 10, alternatively from about 1 to about 5 percent of the surface area of the interlocking material (also referred to as bond area). Accordingly, when it is desired to space the thermal bonding over the entire surface area of 20 the interlocking material, it may be desired to employ individual thermal bonds having a surface area of from about 0.0001 to about 1.5 square centimeters, alternatively of from about 0.001 to about 0.013 square centimeters.
- In some instances it may be possible to see a synergistic effect between the adhesive and thermal bonds. Applicants believe this is most likely to occur when the thermal bonding is in a continuous pattern such as a line or wave and when the total bond area is approximately 7 percent or greater, up to about 20 percent.

In some cases, it may be desirable to design the interlocking material so that the thermal bonds do not destroy the functionality of the hooks. For example, marginal portions of base material, which are free from hooks, could be provided on the interlocking material and the thermal bonding could occur in those marginal portions. Alternatively, discrete hook free areas could be provided across the

- 13 -

10

15

20

35

WO 95/05140

PCT/US94/09049

surface area of the interlocking material and the thermal bonds could be located in those hook free areas.

In one preferred embodiment, the thermal bonds are formed by ultrasonic bonding and are in the form of individual, circular bonds having a diameter of about 0.064 centimeter and covering about 2 percent of the surface area of the interlocking material. The bonds are generally evenly spaced over the surface of the interlocking material. Such bonds are suitably formed by tapered pins having a base diameter of about 0.064 centimeter, a taper of about 15 degrees and a height of about 0.15 centimeter. The pins are located on the anvil of an ultrasonic bonding apparatus which functions together with an ultrasonic horn to produce the thermal bonds. In order to further protect the functionality of hooks present on the interlocking material, it is preferred that the anvil of the ultrasonic bonding apparatus contact the interlocking material and the horn of the ultrasonic bonding apparatus contact the first substrate. Further, it is preferred that the pins or other raised area defining the bonding pattern have a height which is great enough to prevent damaging the hook members to an unacceptable degree. Specifically, it is generally desired that the pins or other raised area defining the bonding pattern have a height which is greater than the total thickness of the material being thermally bonded.

In the embodiment illustrated in Figs. 4A and 4B, the first substrate 16 and the second substrate 20 have the same length. Adhesive layer 24 extends between the first and second substrates out to the second transverse edge 14 of fastening tape 10 but does not extend to the first transverse edge 12.

In the embodiment illustrated in Figs. 3, 4A and 4B, fastening tape 10 is intended to be attached to a disposable absorbent garment by attaching the unadhered portion of the first substrate 16 to the inner surface of a disposable absorbent garment and attaching the unadhered portion of the second substrate 20 to the outer surface of the disposable absorbent garment. That is, the absorbent garment is sandwiched between the unadhered portions of the first substrate 16

- 14 -

30

35

WO 95/05140

PCT/US94/09049

and the second substrate 20. This aspect of the present invention is explained in greater detail below in connection with Figs. 11 and 12.

Naturally, other methods of attaching the fastening tape 10 to the disposable absorbent garment are possible. For example, the first and second substrates could be adhered together along their entire length. The fastening tape could then be attached to the inner or outer surface of the garment. Alternatively, the fastening tape 10 could be attached to the disposable absorbent garment between individual components of the garment. These alternative methods of attachment apply with equal force to a fastening tape comprising a single, first substrate and no second substrate.

The interlocking material 18 is desirably longitudinally spaced from
both the first transverse edge 12 and the second transverse edge 14
of the fastening tape 10. It is desired that the interlocking
material be spaced from each transverse edge by a distance of at
least about 2 millimeters, preferably of at least about
8 millimeters, and most preferably of at least about 16 millimeters.
20 In this manner, the finger tab 22 may be provided. As a general
rule, the first interlocking material 18 will be positioned more
closely toward the second transverse edge 14 than the first
transverse edge 12. Nonetheless, when the interlocking material 18
is relatively soft, the interlocking material may be located at the
first or second transverse edge of the fastening tape.

In another aspect, the present invention concerns a process for manufacturing a fastening tape for use on a disposable absorbent garment. The process can best be understood by reference to the drawings wherein Fig. 5 illustrates a schematic view of a process according to the present invention. A generally continuous length of an interlocking material 18 is provided. The interlocking material 18 is provided from supply roll 28. The continuous length of interlocking material has a width and is traveling in a first direction D. The width of the interlocking material is measured in a direction generally perpendicular to direction D. In the embodiment illustrated in Fig. 5, a hot melt glue is applied to the interlocking

- 15 -

PCT/US94/09049

material by applicator 30. A first substrate 16 is provided from supply roll 32. The first substrate 16 has a width W' and is traveling in the first direction D. The interlocking material 18 is attached to the first substrate 16, near one longitudinal edge of the first substrate, as a result of the adhesive applied to the interlocking material by applicator 30. A pair of nip rollers 34 ensures adhesive contact between the interlocking material 18 and the first substrate 16. The attachment of the interlocking material to the first substrate forms a composite.

10

15

Those skilled in the art will recognize that any means capable of joining the first interlocking material to the first substrate is suitable for the present invention. For example, in addition to adhesive attachment, it is possible to thermally bond (including ultrasonic bonding), or sew the interlocking material to the first substrate. Again, in a preferred embodiment, the first interlocking material is joined to the first substrate by both adhesive and thermal bonds. Similarly, applicator 30 may comprise a slotcoater, spray applicator, bead applicator, or curtain applicator.

20

25

30

The composite of interlocking material 18 and first substrate 16 is then cut by cutter 36 to form individual fastening tapes 38. Cutter 36 cuts the composite in a second direction D' substantially perpendicular to the first direction D. The fastening tapes 38 are then conveyed on conveyer 40 to a location for application to a disposable absorbent garment.

Those skilled in the art will recognize that cutter 36 may comprise rotary cutters, air knives, thermal knives, pinch cutters, ultrasonic cutters, lasers, and the like.

Conveyor 40 may comprise a conveying belt, vacuum drum, transfer layers, gripper fingers, and the like.

A second embodiment of the process according to the present invention is illustrated in Fig. 6. The process illustrated in Fig. 6 is substantially identical to the process illustrated in Fig. 5 with the

- 16 -

10

15

20

25

30

5

WO 95/05140

PCT/US94/09049

exception that the interlocking material 18 is applied to the first substrate 16 generally in the center of the first substrate 16. After forming the composite of the interlocking material 18 and first substrate 16, the composite is slit by slitter 42 to form two slit composites 44 and 46. Each slit composite 44 and 46 comprises the first substrate 16 and the interlocking material 18. As in the process illustrated in Fig. 5, cutter 36 cuts the slit composites 44 and 46 along a second direction D' substantially perpendicular to the first direction D to form fastening tapes 38. Conveyor 40 conveys fastening tapes 38 to the location at which they are to be joined to a disposable absorbent garment.

As can be appreciated from reference to Fig. 6, by slitting the composite to form two slit composites 44 and 46 prior to cutting along the second direction, each cut along the second direction made by cutting means 36 may form two fastening tapes. Obviously, if it is desired to form fastening tapes having the same general dimensions as those tapes illustrated in Fig. 5, the first substrate 16 and the interlocking material 18 will need to have starting widths twice that of the interlocking material 18 and first substrate 16 illustrated in Fig. 5.

The process illustrated in Fig. 6 may be preferred over that illustrated in Fig. 5 since it forms two fastening tapes for each cut of cutter 36. Those skilled in the art will appreciate that disposable absorbent garments on which the fastening tapes of the present invention can be utilized generally utilize at least two of such fastening tapes. Thus, each cut of cutter 36 can form two fastening tapes which may be sufficient to provide all of the fastening tapes for a specific disposable absorbent garment.

Fig. 7 illustrates a particularly preferred process according to the present invention.

According to the process illustrated in Fig. 7, the interlocking material 18 is again supplied from supply roll 28. Applicator 30 applies adhesive to the interlocking material which is then adhered

- 17 -

10

30

35

5

WO 95/05140

PCT/US94/09049

to the first substrate 16 supplied from supply roll 32 to form a composite. The interlocking material 18 is applied to first substrate 16 generally at the center of substrate 16. Nip rollers 34 ensures adhesive bonding between the first substrate 16 and the interlocking material 18. At folding area 48, the longitudinal edges 50 and 52 of the first substrate 16 are folded on top of the composite so that the edges 50 and 52 are in contact with the planar surface of the first substrate 16 to which the interlocking material 18 is attached. The composite is then slit by slitter 42 to form two slit composites 44 and 46. The two slit composites 44 and 46 are then laterally spaced along direction D' by spreader 54. The two slit composites continue to travel in the first direction D.

An adhesive is applied to the two slit composites by adhesive 15 applicator 56. A second substrate 20 traveling in the first direction D is provided by supply roll 58. An adhesive is applied to the second substrate 20 by adhesive applicator means 60. The two slit composites 44 and 46 are then attached to the second substrate while the two slit composites are in a laterally spaced condition. 20 In this manner, a portion of the second substrate separates the two slit composites. It is this portion of the second substrate which forms the finger tab 22 illustrated in Figs. 1-3. Attachment of the slit composites 44 and 46 to the second substrate 20 forms a tape assembly 62. The tape assembly 62 passes through nip roller 64 to 25 ensure adhesive sealing of the first substrate to the second substrate.

Slitter 66 then slits the second substrate of the tape assembly along the first direction D in that portion of the second substrate which separates the two slit composites 44 and 46 to form two slit tape assemblies. In a preferred embodiment, the second substrate is slit in the first direction along an interlocking pattern such as a sinusoidal wave pattern. The slit tape assemblies are then cut, by cutter 36, along a second direction D' to form fastening tapes 38. Specifically, the first substrate 16 and interlocking material 18 are cut along the second direction D' while the second substrate 20 is simultaneously cut along said second direction at a location adjacent

- 18 -

. 5

10

15

20

25

30

35

WO 95/05140

PCT/US94/09049

the location at which the first substrate is cut. The second direction D' is again substantially perpendicular to the first direction. The fastening tapes 38 are then conveyed by conveyor 40 to the point at which they are applied to a disposable absorbent garment.

In a preferred embodiment, the interlocking material 18 is attached to the first substrate with both adhesive and thermal (ultrasonic) bonds. Those skilled in the art would recognize modifications necessary to the process illustrated in Fig. 7 to product a fastening tape wherein the interlocking material is adhered to the first substrate with both adhesive and thermal (ultrasonic) bonds. For example, an ultrasonic bonding apparatus such as that described above may be included in the process immediately after nip rollers 34, nip roll 64 or slitter 66.

Folding area 48 suitably contains folding boards, plows, and the like, to effectuate the described folding. Spreader 54 suitably comprises bowed rollers, bowed bars, angled rollers, spiral rollers, or the like. The cutter 66 suitably comprises a rotary cutter, water cutter, laser cutter, and the like. The adhesive applied by applicators 30, 56 and 60 are suitably hot melt adhesives which adhesives and adhesive applicator systems are commercially available from Nordson Corporation, Westlake, Ohio; Spraymation, Inc., Ft. Lauderdale, Florida; Accumeter Laboratories, Inc., Marlboro, Massachusetts; Findley Adhesives, Inc., Wauwatosa, Wisconsin; and J&M Laboratories, Inc., Gainesville, Georgia. Of course, other methods of attachment can be substituted for the described adhesive attachment.

Fig. 8A illustrates another preferred process according to the present invention. According to the process illustrated in Fig. 8A, an interlocking material 18 is again supplied from supply roll 28. The interlocking material is formed with a line of weakness along its length. The line of weakness is, for example, free of hooks and has a base which is thinner than the surrounding material. This allows the interlocking material 18 to be split into two pieces. The two

- 19 -

10

15

20

25

÷

WO 95/05140

PCY/US94/09049

pieces of interlocking material are split and laterally spaced along direction D' by spreader 54. In the illustrated embodiment, spreader 54 comprises a contoured roll. Both pieces of the interlocking material 18 are then passed over heated roll 33 and have adhesive applied thereto by applicator 30. The two pieces of interlocking material are then adhered to a first substrate 16 supplied from supply roll 32 to form a composite which is compressed by nip rollers 34 to ensure adhesive bonding. The width of the two pieces of interlocking material is less than the width of the first substrate. At folding area 48, the longitudinal edges 50 and 52 of the first substrate 16 are folded on top of the composite comprising the first substrate 16 and the interlocking material 18. The folding occurs so that the edges 50 and 52 are in contact with a planar surface of the first substrate 16 and so that the first substrate 16 covers the exposed surface of interlocking material 18. A second substrate 20 traveling in the first direction D is provided by supply roll 58. An adhesive is applied to the second substrate 20 by adhesive applicator means 60. The composite of the first substrate 16 and interlocking material 18 is then attached to the second substrate. In this manner, a portion of both the first and second substrates separates the two pieces of interlocking material 18. It is these portions of the first and second substrates which form the finger tab illustrated in Fig. 4A. Attachment of the composite of the first substrate 16 and interlocking material 18 to the second substrate 20 forms a tape assembly 62. The tape assembly 62 passes through nip roller 64 to ensure adhesive sealing of the first substrate to the second substrate.

slitter 66 then slits the first and second substrate of the tape
assembly along the first direction D in that portion of the first and
second substrates which separate the two pieces of interlocking
material 18 to form two slit tape assemblies. In a preferred
embodiment, the first and second substrates are slit in the first
direction along a sinusoidal wave pattern. Adhesive applicator 56
then applies an adhesive to the slit tape assemblies. This adhesive
will serve to attach the fastening tapes to the disposable absorbent
product. The slit tape assemblies are then cut, by cutter 36, along

- 20 -

10

` 15

20

WO 95/05140

PCT/US94/09049

a second direction D' to form fastening tapes 38. The second direction D' is substantially perpendicular to the first direction. The fastening tapes 38 are then conveyed by conveyor 40 to the point at which they are applied to a disposable absorbent product.

BA wherein the interlocking material 18 is attached to the first substrate with both adhesive and thermal (ultrasonic) bonds. Specifically, the process illustrated in Fig. 8B is identical to the process illustrated in Fig. 8A except that the process further comprises rotary ultrasonic anvil 63 and rotary ultrasonic horn 65. As can be seen from reference to Fig. 8B, the pattern of ultrasonic bonding does not cover the entire surface of the tape assembly 62 but is generally confined to the area consisting of the two pieces of the interlocking material, the area slightly beyond the outer edges of the interlocking material, and the area separating the two pieces of interlocking material. Further, the process illustrated in Fig. 8B differs from that illustrated in Fig. 8A in that the first substrate is folded at folding area 48 such that the first substrate 16 does not cover the interlocking material 18 and, in fact, stops about

0.125 inch short of the interlocking material. This is illustrated

Figs. 9A and 10A illustrate the fastening tapes formed by the process 25 illustrated in Fig. 8A. Figs. 9B and 10B illustrate the fastening tapes formed by the process illustrated in Fig. 8B. As can be seen from reference to Figs. 9A and 10A, the fastening tapes produced by the method illustrated in Fig. 8A comprise a second substrate 20, a first substrate 16 folded to define fold line 68, and interlocking material 18. The adhesives used to form the fastening tapes 38 are 30 not illustrated in Figs. 9A, 9B, 10A and 10B. Fold line 68 is formed at folding area 48 of Figs. 8A and 8B. Cutter 65 defines cut line 70, while cutter 36 defines cut lines 72. As will be appreciated more from the description of Figs. 11 and 12, in use, the individual 35 fastening tapes can be attached to a disposable absorbent garment by adhering the second substrate 20 to one surface of the garment and

- 21 -

SUBSTITUTE SHEET (RULE 26)

in greater detail in Fig. 9B.

PCT/US94/09049

then unfolding the first substrate and adhering it to the opposite surface of the garment.

As can be seen from reference to Figs. 9B and 10B, the fastening tape is identical to that described in connection with Figs. 9A and 10A except for the presence of thermal (ultrasonic) bonds 69 and for the fact that the first substrate 16 is folded such that it does not overlay the interlocking material 18 but stops about 0.125 inch short of the interlocking material.

10

15

20

25

30

Applicants have found that, by having the first substrate 16 cover the interlocking material 18 as a result of folding at area 48, (as illustrated in Fig. 9A) processing of the fastening tape 38 may be improved. Specifically, the portion of the first substrate 16 covering the interlocking (hook) material 18 has been found to adhere to the interlocking material 18 during the process of conveying the fastening tape 38 to a location at which it is joined to the diaper. Further, covering the interlocking material 18 with the folded portion of the first substrate 16 has been found to keep adhesives used during the manufacturing process from contacting the hooks of the interlocking material.

Fastening tapes according to the present invention suitably have a width of from about 15 millimeters to about 100 millimeters, preferably of from about 25 millimeters to about 70 millimeters, and a length of from about 25 millimeters to about 150 millimeters, preferably of from about 50 millimeters to about 100 millimeters. Accordingly, the first and second substrates generally have a width of from about 15 millimeters to about 100 millimeters, preferably of from about 25 millimeters to about 70 millimeters, and a length of from about 50 millimeters to about 175 millimeters, preferably from about 60 millimeters to about 125 millimeters.

In those embodiments wherein the fastening tape comprises a first and a second substrate, the width and/or length of the first substrate may be equal to, greater, or less than, the width and/or length of the second substrate, and vice versa. In those embodiments wherein

- 22 -

PCT/US94/09049

the first and second substrates have different lengths and/or widths, the length and width of the fastening tape may be defined by the combination of the first and second substrates. That is, for example, the length of the fastening tape may be greater than the length of either the first or second substrate alone.

The interlocking material may have a width (W") of from about 5 millimeters to about 50 millimeters, preferably of from about 10 millimeters to about 35 millimeters.

10

15

20

25

30

5

Figs. 11 and 12 illustrate a fastening tape according to the present invention in use on a disposable diaper. Those skilled in the art will recognize that diaper 74 generally comprises an outer cover 76. an inner bodyside liner 78, and an absorbent core 80 located between the outer cover 76 and the liner 78. Leg elastics 82 are located generally at the longitudinal edges of diaper 74. The diaper further comprises a front waist elastic 84 and a rear waist elastic 86. The fastening tape of the present invention is generally attached at the rear of the diaper by sandwiching the outer cover 76 and inner bodyside liner 78 between the first substrate 16 and the second substrate 20 in an area where the first and second substrates are not attached to one another. This aspect of the present invention can best be seen by reference to Fig. 12. In the embodiment illustrated in Fig. 12, the second substrate 20 is not attached to the diaper 74 along as great a length as the first substrate 16. In the illustrated embodiment, interlocking material 18 comprises the hook material of the hook-and-loop fastener. The diaper further comprises a second interlocking material 88 attached to the outer cover 76 generally at the front of the diaper. In the illustrated embodiment,

Y-bond

Specific examples of disposable absorbent garments on which the fastening tapes of the present invention may be utilized are disclosed in the following U.S. Patents and U.S. Patent Applications:

the second interlocking material 88 comprises the loop material of the hook-and-loop fastener. Those skilled in the art will recognize that the relative positions of the hook-and-loop materials could be

- 23 -

SUBSTITUTE SHEET (RULE 26)

reversed on diaper 74.

PCT/US94/09049

U.S. 4,798,603 issued January 17, 1989, to Meyer et al.; U.S. 5,176,668 issued January 5, 1993, to Bernardin; U.S. 5,176,672 issued January 5, 1993, to Bruemmer et al.; U.S. 5,192,606 issued March 9, 1993, to Proxmire et al., and U.S. Patent Application Serial

5 No. 07/757,760 filed September 11, 1991, in the name of Hanson et al.

Examples

Test Methods

10 Peel Strength

This test procedure determines the peak load, measured in grams force, required to remove the hook material from a fastening tape intended for use on a diaper.

15 Equipment

20

35

- Tensile tester capable of obtaining a peak load and equipped with an appropriate load cell. A suitable tensile testing system is a Sintech Tensile Tester, commercially available from MTS Sintech, Research Triangle Park, North Carolina, under the trade designation Instron Model 4201 Tensile Tester with Sintech QAD (Quality Assurance Department) Software.
- 2. QAD software commercially obtained from MTS Sintech under the trade designation QAD Software.
- 90 pound per square inch grips commercially available from
 Instron Corporation, Canton, Massachusetts, under the trader designation "Grips Instron 2712 (90 psi), Instron 2712-003."
 - 4. 0.5 inch grip faces, serrated, commercially available from Instron Corporation, Canton, Massachusetts.
- 5. Test facility having a temperature of 23 \pm 1°C, and a relative humidity of 50 \pm 2 percent.

Test Procedure

- 1. A sample to be tested, such as that illustrated in Fig. 13, is conditioned in the test facility for at least 4 hours prior to testing.
- The load cell is calibrated and the QAD software loaded.

- 24 -

15

20

WO 95/05140

PCT/US94/09049

- 3. The grips are installed on the tensile tester with the serrated grip face being inserted into the upper jaw of the tensile tester and the jaw is closed.
- 4. The gauge length is set such that the distance from the bottom edge of the grip face to the top of the bottom grip is 1 inch.
- 5. One corner 90 of the hook material 18 present on the sample to be tested (Fig. 13) is gently peeled such that the hook material is separated from the first substrate for a distance of 8 millimeters from the side and edge of the hook material.
- 10 The test condition for the tensile tester are set as follows: 6. Crosshead speed: 250 millimeters/minute

Full-scale load:

10 kilograms

Threshold:

5 percent

Fail criterion:

95 percent

Gauge length:

1 inch

Sample width:

2 inches

- 7. The weight of the clamp is tared out.
- The peeled edge of the hook material is inserted into the upper jaw such that the edge of the grip face is flush with the edge 92 of the hook material.
- The longer portion 94 of the test sample is inserted into the lower jaw such that the hook material is positioned parallel to the edge of the lower jaw. The lower jaw is closed.
- 10. The crosshead is started in motion.
- 11. The peak load of failure is recorded. It is intended that the . 25 mode of failure is that the hook material delaminates from the first substrate. Results are rejected if the hook is torn along the edge of the grip face or if the peak load is below 2500 grams-force.

30

Shear Strength

This is pass/fail test that determines the length of time the hook material of a fastening tape can stay attached to a first substrate.

35 Equipment

A testing rack 100, such as that illustrated in Fig. 14, capable of fitting into a forced air oven which oven is commercially

- 25 -

10

WO 95/05140 PCT/US94/09049

available from Blue M Electric Co., Blue Island, IL under the trade designation Stabil-Therm $^{\rm loc}$.

- 2. Bulldog #4 clips (3 inches wide) with emery cloth on the clamping portion. The clips, without emery cloth, are commercially available from Publix Office Supplies under the trade designation 3 inch Bulldog Clips. Emery cloth is attached through the use of adhesives.
- 3. Nalgene bottles (6 ounces) having a 3/4 or 7/8 inch cup hook in the top. The bottles are commercially available from Nalgene Brand Products under the trade designation wide mouth Nalgene 6 ounce square bottles.
- 4. Lead shot to produce a total weight of 1000 grams including the nalgene bottle and clamp described as numbers 2 and 3 above.
- A loop material commercially available from Guilford Mills,
 Greensborough, North Carolina, under the trade designation
 LP086. The loop material 102 is mounted on a solid surface cross bar of the testing rack illustrated in Fig. 14. The loop material must be in good condition to ensure consistent engagement with the hook material. Accordingly, the loop
 material should be replaced frequently, desirably after every test cycle.
 - 6. An oven (such as the forced air oven described in the peel strength test) capable of holding the test rack illustrated in Fig. 14 which oven has a temperature of $37.8 \pm 1^{\circ}$ C.
- 25 7. A testing facility having a temperature of 23 \pm 1°C. and a relative humidity of 50 \pm 2 percent.
 - 8. A balance readable to 0.01 gram and having a minimum capacity of 1000 grams.

30 Test Procedure

35

1. The sample to be tested is delivered to the testing facility and aged for at least 4 hours. The sample to be tested is attached to the testing rack such that the bottom edge of the hook material 18 present on the test samples is located 3/4" from the bottom edge 104 of the loop material as illustrated in Fig. 14. A clamp 106 is attached to the bottom of the test sample as illustrated in Fig. 14. The test rack is placed in the oven.

- 26 -

PCT/US94/09049

- 2. A 1000 gram weight bottle (not illustrated) is attached to the clamp such that the bottles are hanging freely and such that there is at least 3/4 of an inch between the bottom of the bottle and the bottom of the test rack or oven floor.
- 5 3. The samples are checked each hour noting which samples have failed. The test is run for a total of 20 hours. A failure is defined as the hook piece coming totally loose from the fastening tape. Results of the test are discarded if the hook and loop materials become totally or partially disengaged. The bottle, clamp, and ear laminate will be on the bottom of the testing rack or oven floor. The results of the test are recorded as a pass or a fail.

Example 1

35

15 A fastening tape test sample is prepared as follows. A first substrate comprising a 23.8 gram per square meter polypropylene spunbond web is provided. The first substrate has a width of 14.6 centimeters and a substantially continuous length. A hook material having a width of 1.27 centimeters (2.54 centimeter original width 20 split to 1.27 centimeter) and a substantially continuous length is provided. The hook material is commercially available from Velcro U.S.A. under the trade designation CFM-22. Three beads having a diameter of about 1 millimeter of a hot melt adhesive commercially available from Findley Adhesives under the trade designation H2096 25 are applied to the non-hook surface of the hook material such that one bead is located in the center of the hook material and the other two beads are located about 4.5 millimeters from the center bead of adhesive. The hook material is applied to the first substrate and compressed at a pressure of 50 pounds per square inch to ensure adhesion. 30

A second substrate comprising a 57.8 gram per square meter spunbond/meltblowm/spunbond (SMS) material is provided. The SMS fabric comprises two 21.25 gram per square meter polypropylene spunbond outer layers and on 15.3 gram per square meter polypropylene meltblowm layer. The second substrate has a width of 15.24 and a substantially continuous length. The first substrate and second

- 27 -

10

15

20

25

30

35

WO 95/05140

PCT/US94/09049

substrate are laminated together through the use of a hot melt adhesive commercially available from Findley Adhesives under the trade designation H2096. The hot melt adhesive is applied to the second substrate in a swirl pattern at an add-on rate of 0.0275 grams per square inch. The first and second substrates are compressed together under a load of 50 pounds per square inch to ensure adhesion.

The laminate of the hook material, first substrate, and second substrate is subjected to ultrasonic bonding under the following conditions. A rotary ultrasonic horn and a rotary patterned anvil such as those described in U.S. patents 5,110,403 and 5,096,532 are provided. The peak-to-peak amplitude of the horn is 0.001 inch (25.4 micrometers) and 40 pounds-force are applied between the horn and the anvil. The speed of travel through the rotary horn and anvil is about 67 feet per minute. Suitable speeds of travel for the laminate are from about 0 to about 500 feet per minute, alternatively, from about 50 to about 200 feet per minute. As the speed of travel of the laminate increases, the peak-to-peak amplitude of the horn is increased to obtain desirable bonds.

The ultrasonic bonding pattern consists of circular dots having a diameter of 0.064 centimeters spaced evenly over the planar surface of the hook material such that between about 2 and 3 percent of the surface area of the hook material is subjected to ultrasonic bonding.

Test samples are cut from the laminate of the hook material, first substrate, and second substrate. The test samples are 2 inches (5.08 centimeters) wide and 2-3 inches (5.08-7.6 centimeters) long. The hook material extends across the width of the test samples such that the hook material is located 0.25-0.5 inch (0.64-1.27 centimeters) from one transverse edge of the test sample and 1-2 inches (2.54-5.08 centimeters) from the opposite transverse edge of the test sample. That is, the test samples have generally the configuration illustrated in Fig. 13, with the understanding that the first and second substrates are coextensive.

- 28 -Substitute Sheet (Rule 26)

10

15

20

WO 95/05140

PCT/US94/09049

The test samples are then subjected to the shear and peel testing described above.

Control samples are prepared as described above with the exception that Control A has only adhesive attaching the hook material to the first substrate and Control B has only ultrasonic bonding attaching the hook material to the first substrate (due to the nature of the ultrasonic bonding it also bonds the first and second substrates together). The control samples are then subjected to the peel and shear testing described above. The results of this testing are set forth in Table 1.

·	TABLE 1				
	<u>Sample</u>	Peel ¹	<u>Shear</u> 2		
	1.	5058 ³	0/20		
•	Control A	⁴ 4637 ⁵	10/10		
	Control B	6 3105 ⁷	0/20		

¹Peel adhesion in grams-force.

As can be seen from reference to Table I, the presence of adhesive bonding alone (Control A) produces a fastening tape having generally acceptable peel adhesion but having unacceptable shear adhesion. The presence of ultrasonic bonds alone (Control B) produces a fastening tape having generally acceptable shear adhesion but unacceptable peel adhesion. The combination of the two types of bonding (Sample 1) produces a fastening tape having both acceptable shear and peel adhesion.

35

30

While the present invention has been described in terms of the specific embodiments set forth herein, those skilled in the art will

- 29 -

²Shear adhesion failures/number tested. Thus, 0/20 indicates 0 failures out of 20 test samples.

³Average of 10 samples, standard deviation = 917

^{&#}x27;Adhesive only

⁵Average of 99 samples, standard deviation = 989

[&]quot;Ultrasonic bonding only

^{25 &}lt;sup>7</sup>Average of 20 samples, standard deviation = 982

PCT/US94/09049

recognize numerous variations and alterations thereof which are intended to be within the scope of the claims appended hereto.

- 30 -

WO 95/05140

PCT/US94/09049

What is claimed is:

1. A continuous process for manufacturing a fastening tape for use on a disposable absorbent garment, said process comprising the following steps:

providing a continuous length of an interlocking material having a width and traveling in a first direction;

attaching said interlocking material to a first substrate traveling in said first direction to form a composite; and

cutting said composite along a second direction to form fastening tapes suited for attachment to an absorbent garment, said second direction being substantially perpendicular to said first direction.

- 2. The process according to claim 1 further comprising the step of slitting said composite along said first direction to form two slit composites.
- 3. The process according to claim 2 wherein both said interlocking material and said first substrate are slit, whereby each slit composite comprises said interlocking material and said first substrate.
- 4. The process according to claim 2 further comprising the step of attaching said slit composites to a second substrate traveling in said first direction before cutting said composite and cutting said second substrate along said second direction at a location adjacent the location at which said composite is cut.
- 5. The process according to claim 4 wherein said slit composites are laterally spaced from one another prior to being attached to said second substrate.
- 6. The process according to claim 5 wherein said second substrate is slit prior to said cutting step.

- 31 -

WO 95/05140

PCT/US94/09049

- 7. The process according to claim 6 wherein said second substrate is slit between said two slit composites.
- 8. The process according to claim 7 wherein said second substrate is slit between said two slit composites along a sinusoidal wave pattern.
- 9. The process according to claim 1 wherein said interlocking material is attached to said first substrate such that a longitudinal edge of said interlocking material is not directly attached to said first substrate.
- 10. The process according to claim I wherein said interlocking material is attached to said first substrate by both adhesive and thermal bonds.
- 11. The process according to claim 9 wherein said interlocking material is attached to said first substrate by both adhesive and thermal bonds.
- 12. A continuous process for manufacturing a fastening tape for use on a disposable absorbent garment, said process comprising the following steps:
- providing a continuous length of an interlocking material having a width and traveling in a first direction;
 - attaching said interlocking material to a first substrate having a width and traveling in said first direction to form a composite;
 - slitting said composite along said first direction to form two slit composites;
- attaching said slit composites to a second substrate having a width and traveling in said first direction to form a tape assembly, said slit composites being laterally spaced prior to attachment to said second substrate;
- slitting said second substrate of said tape assembly in said first direction; and

- 32 -

PCT/US94/09049

cutting said tape assembly along a second direction to form fastening tapes, said second direction being substantially perpendicular to said first direction.

- 13. The process according to claim 12 wherein said interlocking material is a hook material and has a width of from about 5 millimeters to about 50 millimeters, said first substrate has a width of from about 15 millimeters to about 100 millimeters, and said second substrate has a width of from about 15 millimeters to about 100 millimeters.
- 14. The process according to claim 12 wherein said second substrate is slit between said two slit composites.
- 15. The process according to claim 14 wherein said second substrate is slit in a sinusoidal wave pattern.
- 16. The process according to claim 12 further comprising the step of attaching said fastening tapes to a disposable absorbent garment.
- 17. The process according to claim 16 wherein said fastening tapes are attached to said disposable absorbent garment by sandwiching said garment between said first and second substrates.
- 18. The process according to claim 12 wherein said interlocking material is attached to said first substrate such that a longitudinal edge of said interlocking material is not directly attached to said first substrate.
- 19. The process according to claim 12 wherein said interlocking material is attached to said first substrate by both adhesive and thermal bonds.
- 20. The process according to claim 18 wherein said interlocking material is attached to said first substrate by both adhesive and thermal bonds.

- 33 -

WO 95/05140

PCT/U594/09049

21. A continuous process for manufacturing a fastening tape for use on a disposable absorbent garment, said process comprising the following steps:

providing two continuous lengths of an interlocking material having a width and traveling in a first direction, said two continuous lengths of interlocking material being laterally separated;

attaching said two continuous lengths of interlocking material to a first substrate having a width and traveling in said first direction to form a composite;

attaching said composite to a second substrate having a width and traveling in said first direction to form a tape assembly; slitting said tape assembly in said first direction; and cutting said tape assembly along a second direction to form fastening tapes, said second direction being substantially perpendicular to said first direction.

- 22. The process according to claim 21 wherein the width of said two continuous lengths of interlocking material is less than the width of said first substrate.
- 23. The process according to claim 21 wherein said interlocking material is a hook material and each continuous length of said hook material has a width of from about 5 millimeters to about 50 millimeters, said first substrate has a width of from about 15 millimeters to about 100 millimeters, and said second substrate has a width of from about 15 millimeters to about 100 millimeters.
 - 24. The process according to claim 21 wherein said interlocking material is attached to said first substrate along less than its entire width to define unadhered edges.
 - 25. The process according to claim 24 wherein said unadhered edges are located along each longitudinal edge of the interlocking material.

- 34 -

5

WO 95/05140

PCT/US94/09049

- 26. The process according to claim 21 wherein said tape assembly is slit between said two continuous lengths of interlocking material.
- 27. The process according to claim 26 wherein said tape assembly is slit between said two continuous lengths of interlocking material in a sinusoidal wave pattern.
- 28. The process according to claim 21 further comprising the step of attaching said fastening tapes to a disposable absorbent garment.
- 29. The process according to claim 21 wherein said interlocking material is attached to said first substrate such that a longitudinal edge of each continuous length of interlocking material is not directly attached to said first substrate.
- 30. The process according to claim 21 wherein said interlocking material is attached to said first substrate by both adhesive and thermal bonds.
- 31. The process according to claim 24 wherein said interlocking material is attached to said first substrate by both adhesive and thermal bonds.
- 32. A fastening tape for use on a disposable absorbent garment, said fastening tape having a width, a length, a first transverse edge and a second transverse edge, said fastening tape comprising:
 - a first substrate having a width;
- an interlocking material attached to said first substrate and extending the entire width of said fastening tape.
- 33. The fastening tape according to claim 32 wherein said first substrate defines the width and length of said fastening tape.
- 34. The fastening tape according to claim 32 wherein said interlocking material is longitudinally spaced from both said first and said second transverse edges of said fastening tape by a distance of at least about 2 millimeters.

- 35 -

SUBSTITUTE SHEET (RULE 20)

PCT/US94/09049

- 35. The fastening tape according to claim 32 further comprising a second substrate attached to said first substrate, said first and second substrates defining the width and length of said fastening tape.
- 36. The fastening tape according to claim 32 wherein said interlocking material is longitudinally spaced from both said first and said second transverse edges of said fastening tape by a distance of at least about 8 millimeters.
- 37. The fastening tape according to claim 36 wherein said second substrate is unattached to said first substrate in an area in which they overlap.
- 38. The fastening tape according to claim 32 wherein said interlocking material is attached to said first substrate such that a longitudinal edge of said interlocking material is not directly attached to said first substrate.
- 39. The fastening tape according to claim 32 wherein said interlocking material is attached to said first substrate along less than its entire width to form an unattached edge.
- 40. The fastening tape according to claim 32 wherein said interlocking material is attached to said first substrate by both adhesive and thermal bonds.
- 41. The fastening tape according to claim 39 wherein said interlocking material is attached to said first substrate by both adhesive and thermal bonds.
- 42. The fastening tape according to claim 40 wherein said thermal bonds cover from about 1 to about 20 percent of a surface area of said interlocking material.

- 36 -

SUBSTITUTE SHEET (RULE 26)

PCT/US94/09049

- 43. The fastening tape according to claim 42 wherein said thermal bonds cover from about 1 to about 10 percent of a surface area of said interlocking material.
- 44. The fastening tape according to claim 43 wherein said thermal bonds cover from about 1 to about 5 percent of a surface area of said interlocking material.
- 45. A fastening tape for use on a disposable absorbent garment, said fastening tape having a width, a length, a first transverse edge, and a second transverse edge, said fastening tape comprising:
 - a first substrate having a width; and
- an interlocking material having a width, said interlocking material being attached to said first substrate along less than its entire width to form an unattached edge.
- 46. The fastening tape according to claim 45 wherein said interlocking material is attached to said first substrate along less than its entire width to form two unattached edges.
- 47. The fastening tape according to claim 45 wherein said interlocking material is longitudinally spaced from both said first and said second transverse edges of said fastening tape.
- 48. The fastening tape according to claim 45 wherein said interlocking material is attached to said first substrate by both adhesive and thermal bonds.
- 49. A fastening tape for use on a disposable absorbent garment, said fastening tape having a width, a length, a first transverse edge, and a second transverse edge, said fastening tape comprising:
 - a first substrate having a width; and
- an interlocking material having a width, said interlocking material being attached to said first substrate by both adhesive and thermal bonds.

- 37 -

SHRSTTRIFE SHEET (RULE 28)

3

WO 95/05140

PCT/US94/09049




FIG. 1





FIG. 2

PCT/US94/09049






FIG. 4A






FIG. 4B

PCT/US94/09049




PCT/US94/09049




4/11,


PCT/US94/09049



PCT/US94/09049



PCT/US94/09049



7/11

PCT/US94/09049




FIG. 9A




FIG. 10A

PCT/US94/09049




FIG. 9B




FIG. 10B

PCT/US94/09049




FIG. 11




FIG. 12

PCT/US94/09049




FIG. 13

100

102

104

106

FIG. 14

	CTI A TACKY	D TO 0 ~ ~ ~
INTERNATIONAL	SPAKLH.	RKPURT

			PCT/US 94/09049	
A. CLASS	IFICATION OF SUBJECT MATTER			
IPC 6	A61F13/62			
}				
	o Interhational Patent Classification (IPC) or to both national classific SEARCHED	fication and IPC		
	ocumentation searched (dastification system followed by dassification searched)	ion symbols)		
IPC 6	A61F B31D B31B	•		
Documental	non resirched other-than minimum documentation to the extent that	such documents are inc	duced in the fields scarched	
1	\$			
literropic d	tata haze consulted during the international search (name of data bas	se and, where macked.	search terms used)	
di				
C. DOCUM	ENIS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the N	ticvant passages	Relevant to claim N	10.
х	EP,A,O 235 014 (KAYSERSBERG) 2 Se	eptember	1,16,17, 32,33	,
A	see column 3, line 26 - column 5, claims 1-3,8,9; figures 1-4	, line ll;	34	
Α -	EP,A,O 103 244 (MINIGRIP EUROPE G March 1984	GMBH) 21	1-3	
	see page 5, last paragraph - page paragraph 1; figures 1-4	≥ 8,		
A	US,A,5 019 073 (KIMBERLY-CLARK CO May 1991	ORP.) 28	16,17, 32-34	
	cited in the application see column 9, line 31 - line 39			
	see column 10, line 13 - line 37; 2,3,7	figures		
l	AA 10 10 10 10 10		9	
1				
ļ	·	•	l	
☐ Furt	her documents are listed in the continuation of box C.	X l'alent family	members are listed in annex.	
"Sbecial ca	legories of cited documents:	T later document pu	shished after the international filing date and not in conflict with the application but	
"A" docum	ent delining the general state of the art which is not cred to be of particular relevance	cited to understan invention	nd the principle or theory unocilying the	
l Gling		"X" document of parts	icular relevance; the elaimed invention ered novel or cannot be considered to	
'L' ducum which	onl which may throw doubts on priority claim(s) or is cited to establish the publication date of another	involve an invent	give step when the document is taken alone icular relevance; the claimed invention	
.O. qocmu	n or other special reason (as specified) and referring to an oral disclosure, use, exhibition or	cannot be considered	ered to involve an inventive step when the bined with one or more other such docu-	
D docum	means ent published prior to the international filing date but	in the art.	bination being obvious to a person addled	
	actual completion of the international search		er of the same patent family If the international search report	
	6 December 1994	See At Henrick Co.	3 1, 01.95	
				•
Name and s	mailing address of the ISA Fiscopean Patent Office, P.B. 5818 Patentlaan 2	Vngroups q oggett	•	
	NL • 2280 HV Rijswijk Td. (+ 31-70) 340-2040, Tx. 31 651 epo nl. Pax: (+ 31-70) 340-3016	Garnie	r, F	

Form PCT/ISA/210 (second sheet) (July 1992)

' 1

INTERNATIONAL SEARCH REPORT

Patent document clied in search report Publication date Patent family member(s) Publication date		information patent family members		PCT/US	94/09049	
AU-B- 595002 22-03-90 AU-A- 6861787 27-08-87 CA-A- 1311588 22-12-92 DE-A- 3771742 05-09-91 JP-A- 62206001 10-09-87 EP-A-0103244 21-03-84 US-A- 4528224 09-07-85 CA-A- 1205786 10-06-86 US-A-5019073 28-05-91 GB-A,B 2233876 23-01-91 GB-A,B 2257895 27-01-93	Patent document cited in search report		Patent (amil meniber(s)	у		
CA-A- 1205786 10-06-86 US-A-5019073 28-05-91 GB-A,B 2233876 23-01-91 GB-A,B 2257895 27-01-93	EP-A-0235014		AU-B- AU-A- 6 CA-A- 1 DE-A- 3	595002 861787 311588 77 174 2	22-03-90 27-08-87 22-12-92 05-09-91	
% GB-A,B 2257895 27-01-93	EP-A-0103244	21-03-84				
	US-A-5019073	28-05-91	GB-A.B 2	257895	27-01 - 93	
	The state of the s				. ·	
	:					